



2748 Circleport Drive
Erlanger, KY 41018
(859) 647-1111
Fax (859) 647-3610
www.insightautomation.cc

MDR POWER

PRODUCT

CATALOG



2748 Circleport Drive
Erlanger, KY 41018
(859) 647-1111
Fax (859) 647-3610
www.insightautomation.cc

TABLE OF CONTENTS

IN-PS-10.....	Pg 3
IN-PS-20.....	Pg 4
IN-PS-40.....	Pg 5
IN-PS-10-480.....	Pg 6
IN-PS-20-480.....	Pg 7
IN-PS-40-480.....	Pg 8
IN-P-PS-20-120.....	Pg 9
IN-P-PS-20-480.....	Pg 10
IN-P-PS-40-480.....	Pg 11
IN-P-DIS-PS-20-120.....	Pg 12
IN-P-DIS-PS-20-480.....	Pg 13
IN-P-DIS-PS-40-480.....	Pg 14

IN-PS-10



ENCLOSURE POWER-SUPPLY

Insight Automation, 240Watt, 24VDC, 10Amp 120VAC Input, Uses Carlo Gavazzi Supply SPD242401. Enclosure has lockable disconnect and terminals.
Pre-Wired



ENCLOSURE POWER-SUPPLY

Insight Automation, 480Watt, 24VDC, 20Amp 120VAC Input, Uses Carlo Gavazzi Supply SPD244801. Enclosure has lockable disconnect and terminals.

Pre-Wired

**Shown with optional Supplementary Input Protection

IN-PS-40



ENCLOSURE POWER-SUPPLY

Insight Automation, 960Watt, 24VDC, 40Amp 120VAC Input, Uses 2 Carlo Gavazzi
Supplies SPD244801. Enclosure has lockable disconnect and terminals.

Pre-Wired

**Shown with optional Supplementary Input Protection


IN-PS-10-480



ENCLOSURE POWER-SUPPLY

Insight Automation, 240Watt, 24VDC, 10Amp 480VAC Input, Uses Carlo Gavazzi Supply SPD242403. Enclosure has lockable disconnect and terminals.
Pre-Wired

IN-PS-20-480



ENCLOSURE POWER-SUPPLY

Insight Automation, 480Watt, 24VDC, 20Amp 480VAC Input, Uses Carlo Gavazzi Supply SPD244803. Enclosure has lockable disconnect and terminals.
Pre-Wired



ENCLOSURE POWER-SUPPLY

Insight Automation, 960Watt, 24VDC, 40Amp 480VAC Input, Uses 2 Carlo Gavazzi Supplies SPD244803. Enclosure has lockable disconnect and terminals.
Pre-Wired



2748 Circleport Drive
Erlanger, KY 41018
(859) 647-1111
Fax (859) 647-3610
www.insightautomation.cc

IN-P-PS-20-120

**NO
IMAGE
AVAILABLE**

ENCLOSURE POWER-SUPPLY

Insight Automation, 480Watt, 24VDC, 20Amp 120VAC Input, Uses a PULS QS20.241
Power Supply. PULS Power Supplies have a 96% Efficiency.

Pre-Wired with Terminals



2748 Circleport Drive
Erlanger, KY 41018
(859) 647-1111
Fax (859) 647-3610
www.insightautomation.cc

**NO
IMAGE
AVAILABLE**

ENCLOSURE POWER-SUPPLY

Insight Automation, 480Watt, 24VDC, 20Amp 480VAC Input, Uses a PULS QT20.241
Power Supply. PULS Power Supplies have a 96% Efficiency.
Pre-Wired with Terminals



ENCLOSURE POWER-SUPPLY

Insight Automation, 960Watt, 24VDC, 40Amp 480VAC Input, Uses a PULS XT40.242 Power Supply. Included are two 20Amp Supplement Breakers so you have two protected 20Amp outputs off of one power supply. This is done intentionally to minimize field wiring. PULS Power Supplies have a 96% Efficiency.

Pre-Wired with Terminals



2748 Circleport Drive
Erlanger, KY 41018
(859) 647-1111
Fax (859) 647-3610
www.insightautomation.cc

IN-P-DIS-PS-20-120

**NO
IMAGE
AVAILABLE**

ENCLOSURE POWER-SUPPLY

Insight Automation, 480Watt, 24VDC, 20Amp 120VAC Input, Uses a PULS QS20.241 Power Supply. PULS Power Supplies have a 96% Efficiency. Enclosure has lockable disconnect and terminals.

Pre-Wired

IN-P-DIS-PS-20-480



ENCLOSURE POWER-SUPPLY

Insight Automation, 480Watt, 24VDC, 20Amp 480VAC Input, Uses a PULS QT20.241 Power Supply. PULS Power Supplies have a 96% Efficiency. Enclosure has lockable disconnect and terminals.

Pre-Wired

IN-P-DIS-PS-40-480



ENCLOSURE POWER-SUPPLY

Insight Automation, 960Watt, 24VDC, 40Amp 480VAC Input, Uses a PULS XT40.242 Power Supply. Included are two 20Amp Supplement Breakers so you have two protected 20Amp outputs off of one power supply. This is done intentionally to minimize field wiring. PULS Power Supplies have a 96% Efficiency. Enclosure has lockable disconnect and terminals.

Pre-Wired